



DOOR TECH MANUAL 2026



CONTENTS

FIBERGLASS DOORS

SPECIFICATIONS OVERVIEW

Features	04
Build Type Options	05
Reinforced Blocking Options	06
Flush Glazed IG Orientation	08
Handle Set and Hinge Prep	09
Edge Prep Details	10
Hardware Locations	13
Embossment Profiles	14

ESTATE

6'8" Doors	16
6'8" Sidelights	27
7'0" Doors	33
8'0" Doors	36
8'0" Sidelights	40

SHAKER

6'8" Doors	45
6'8" Sidelight	50
8'0" Doors	51
8'0" Sidelight	56

CONTEMPORARY

6'8" Doors	58
8'0" Doors	66

ESTATE FLUSH GLAZED

6'8" Doors	75
6'8" Sidelights	79
8'0" Doors	81
8'0" Sidelights	84

SHAKER FLUSH GLAZED

6'8" Doors	87
6'8" Sidelights	90
8'0" Doors	92
8'0" Sidelights	94

PRO OAK

6'8" Doors	97
6'8" Sidelights	102

STEEL DOORS

SPECIFICATIONS OVERVIEW

Features	
Wood Edge	104
Steel Edge	105
Edge Prep Details	106
Hardware Locations	107
Embossment Profiles	108

STEEL MARK & STEEL MARK PLUS

6'8" Door	110
6'8" Sidelight	122
7'0" Door	130
7'0" Sidelight	134
8'0" Door	135
8'0" Sidelight	140

STEEL PRO


6'8" Doors	142
------------	-----

ADDITIONAL RESOURCES

Shaped Doorglass Cutout Dimensions	146
Fire Rated Options	148
ADA Options	150
Fiberglass Door Accessories	
SDL Kits	151
Dentil Shelves	152
Steel-Edge Adjustable Hinge Instructions	153



FEATURES FIBERGLASS DOORS



1.0 FIBERGLASS SKINS

- 1.1 Fine Grain | Tan
- 1.2 Rift Cut | Tan
- 1.3 Satin Smooth | White
- 1.4 Oak | White

2.0 FOAM CORE

- 2.1 Material: Polyurethane
- 2.2 Density: 2.2 lbs/cu.ft

3.0 SIDE STILES

- 3.1 Material: LVL w/Composite PVC cap
- 3.2 Pine lock block

4.0 TOP RAIL

- 4.1 Material: Composite

5.0 BOTTOM RAIL

- 5.1 Material: Composite
- 5.2 Kerfed for drive in sweep


PACKAGING

- Paneled Doors per pallet: 27
- Flush Glazed Doors per pallet: 12
- Paneled Sidelights per pallet: 30
- Flush Glazed Sidelights per pallet: 12
- Banding: Vinyl (x2)
- Other: Corner boards (x4)
- Polyfilm wrap
- Product identification all four sides
- Four way access pallet

STANDARD FEATURES


- Hinge prep
- Cylindrical lock locations
- Square edge design
- 1 3/4" door thickness

BUILD TYPE OPTIONS FIBERGLASS DOORS




REINFORCED BLOCKING OPTIONS FOR PANIC PREP | 6'8", 7'0", AND 8'0" DOORS


STANDARD 6'8" AND 7'0"




STANDARD PLUS 6'8" AND 7'0"




PREMIUM 6'8" AND 7'0"



STANDARD PLUS 8'0"




PREMIUM 8'0"




REINFORCED BLOCKING OPTIONS FOR CLOSER PREP | 6'8", 7'0", AND 8'0" DOORS


STANDARD 6'8" AND 7'0"




STANDARD PLUS 6'8" 7'0" AND 8'0"



PREMIUM 6'8" 7'0" AND 8'0"




FLUSH GLAZED IG ORIENTATION TEMPER STAMP LOCATION



On a Flush Glazed Door, temper stamp to be located in the bottom right hand corner when viewed from the exterior.


HANDLE SET AND HINGE PREP ORIENTATION

When requesting handle set and hinge preparation on doors, customers must indicate the door orientation (inswing or outswing) and handle set handing (left-hand or right-hand). To determine the orientation, stand with your back against the jamb on the hinge side. Whichever hand is closest to the door handle is the door's handedness. The diagram can be used to help determine the orientation needed.




EDGE PREP DETAILS FIBERGLASS DOORS-STANDARD BUILD

LATCH PREP




HINGE PREP




EDGE PREP DETAILS FIBERGLASS DOORS-STANDARD PLUS BUILD

LATCH PREP




HINGE PREP




EDGE PREP DETAILS

FIBERGLASS DOORS-PREMIUM BUILD

LATCH PREP




HINGE PREP



HARDWARE LOCATIONS


FOR SMOOTH AND TEXTURED FIBERGLASS DOORS

6'8" LOCATIONS



DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL LATCH PREP LOCATION
6-8	79"	45 7/8"

8'0" LOCATIONS




DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL LATCH PREP LOCATION
8-0	95"	59"


EMBOSSMENT PROFILES FIBERGLASS DOORS AND SIDELIGHTS




EDGE (ESTATE PANEL DOORS)




EDGE PLUS (ESTATE PLANK DOORS)



SHAKER (SHAKER PANEL DOORS)



CLASSIC (PRO OAK DOORS)



ESTATE COLLECTION


FOR FIBERGLASS ENTRY DOORS

6'8" FLUSH FIBERGLASS DOOR

FINE GRAIN | TAN

RIFT CUT | TAN

SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL
2-0	23 3/4"
2-4	27 3/4"
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR HEIGHT

NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS

SIZE	CUTOUT
7 x 64	8 x 65
8 x 64	9 x 65
11 x 5 3L	12 x 6 3L
12 x 12 3L	13 x 13 3L
14 x 64	15 x 65
20 x 56 oval**	21 x 57 oval
22 x 3.5 5L	13 x 4.5 5L
22 x 10 3L	23 x 11 3L
22 x 17 3L	23 x 18
22 x 36	23 x 37
22 x 60*	23 x 61
22 x 64	23 x 65
22 x 64 RT**	23 x 65 RT


**Refer to page 144-145 for non-rectangular cutout dimensions

- ADA COMPLIANT*
- HVHZ & WBDP APPROVED OPTIONS
- FIRE RATED SATIN SMOOTH

6'8" 6 PANEL FIBERGLASS DOOR

RIFT CUT | TAN

SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS


SIZE	CUTOUT
22 x 36	23 x 37
22 x 64	23 x 65
22 x 6	23 x 7

- HVHZ & WBDP APPROVED OPTIONS
- FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 6 PANEL NARROW FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-6*	29 3/4"	4 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS

SIZE	CUTOUT
20 x 36	21 x 37
20 x 64	21 x 65


* 2 3/8" Backset Only

- HVHZ & WBDP APPROVED OPTIONS
- FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" ADA 6 PANEL FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS


SIZE	CUTOUT
22 x 36	23 x 37
22 x 64	23 x 65

ADA COMPLIANT*

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 4 PANEL BLANK TOP FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
9 X 21 SUN**	10 x 22 SUN
22 x 10	23 x 11
22 x 10 AT**	23 x 11 AT
22 x 36	23 x 37
22 x 36 RT**	23 x 37 RT
22 x 38 AT**	23 x 39 AT
22 x 64	23 x 65
22 x 64 RT*	23 x 65 RT
22 x 6	23 x 7

**Refer to page 144-145 for non-rectangular cutout dimensions

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL 3/4 TOP FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
15 x 39 oval**	16 x 40 oval
22 x 48	23 x 49
22 x 64	23 x 65


**Refer to page 144-145 for non-rectangular cutout dimensions

HVHZ & WBDP APPROVED OPTIONS
 FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 3 PANEL 3/4 TOP FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
15 x 39 oval**	16 x 40 oval
22 x 48	23 x 49
22 x 64	23 x 65

**Refer to page 144-145 for non-rectangular cutout dimensions

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL SQUARE FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 64	23 x 65

HVHZ & WBDP APPROVED OPTIONS
FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" ADA 2 PANEL SQUARE FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 36*	23 x 37
22 x 64*	23 x 65

ADA COMPLIANT*

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL CAMBER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 38 AT**	24 x 39 AT
22 x 64	23 x 65


**Refer to page 144-145 for non-rectangular cutout dimensions

FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL CAMBER PLANK FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 38 AT**	24 x 39 AT
22 x 64	23 x 65

**Refer to page 144-145 for non-rectangular cutout dimensions

FIRE RATED SATIN SMOOTH


Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" FLUSH FIBERGLASS SIDELIGHT

FINE GRAIN | TAN

RIFT CUT | TAN

SATIN SMOOTH | WHITE




SIDELIGHT WIDTH	
NOMINAL	ACTUAL
1-0	11 7/8"
1-2	13 7/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
7 x 64	8 x 65
8 x 64	9 x 65

6'8" 2 PANEL REVERSE FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 64	9 x 65
8 x 48	9 x 49

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL REVERSE FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 64	9 x 65
8 x 36	9 x 37

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" FLUSH 1 LIGHT w/CUTOUT FIBERGLASS SIDELIGHT

FINE GRAIN | TAN | RIFT CUT | TAN | SATIN SMOOTH | WHITE




6'8" FLUSH W/ 8"X65" CUTOUT		
SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 15/16"
1-2	13 7/8"	2 15/16"
SIDELIGHT HEIGHT		
NOMINAL	ACTUAL	
6-8	79"	
6'8" FLUSH W/ 9"X65" CUTOUT		
SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 7/16"
1-2	13 7/8"	2 7/16"
SIDELIGHT HEIGHT		
NOMINAL	ACTUAL	
6-8	79"	
GLASS OPTIONS		
SIZE	CUTOUT	
7 x 64	8 x 65	
8 x 64	9 x 65	

HVHZ & WBDR APPROVED OPTIONS

6'8" 3/4 LIGHT w/9x49 CUTOUT FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE




SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 7/16"
1-2	13 7/8"	2 7/16"
SIDELIGHT HEIGHT		
NOMINAL	ACTUAL	
6-8	79"	
GLASS OPTIONS		
SIZE	CUTOUT	
8 x 64	9 x 65	
8 x 48	9 x 49	

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 1/2 LIGHT w/9x37 CUTOUT FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
8 x 64	9 x 65
8 x 36	9 x 37

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

7'0" FLUSH FIBERGLASS DOOR

FINE GRAIN | TAN | RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH	
NOMINAL	ACTUAL
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"


DOOR HEIGHT	
NOMINAL	ACTUAL
7-0	83"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 64	9 x 65
22 x 36	23 x 37
22 x 64	23 x 61
22 x 17 3L	23 x 18

ADA COMPLIANT*

7'0" 6 PANEL FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL
7-0	83"


GLASS OPTIONS

SIZE	CUTOUT
22 x 36*	23 x 37
22 x 64*	23 x 65

ADA COMPLIANT*

7'0" 2 PANEL SQUARE FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL
7-0	83"

GLASS OPTIONS

SIZE	CUTOUT
22 x 36*	23 x 37
22 x 64*	23 x 65


ADA COMPLIANT*

8'0" FLUSH FIBERGLASS DOOR

FINE GRAIN | TAN

RIFT CUT | TAN

SATIN SMOOTH | WHITE



DOOR WIDTH	
NOMINAL	ACTUAL
2-0	23 3/4"
2-4	27 3/4"
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
8 x 80	9 x 81
22 x 76*	23 x 77
22 x 80	23 x 81
22 x 17	23 x 18
7 x 64	8 x 64
8 x 64	9 x 65
22 x 17 3L	23 x 18
14 x 80	15 x 81

ADA COMPLIANT*

8'0" 6 PANEL FIBERGLASS DOOR

RIFT CUT | TAN

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
22 x 80	23 x 81

HVHZ & WBDP APPROVED OPTIONS
FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 2 PANEL 3/4 TOP FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 64	23 x 65
22 x 80	23 x 81

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 2 PANEL SQUARE FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
22 x 80	23 x 81


HVHZ & WBDR APPROVED OPTIONS

FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" FLUSH FIBERGLASS SIDELIGHT

FINE GRAIN | TAN | RIFT CUT | TAN | SATIN SMOOTH | WHITE




SIDELIGHT WIDTH	
NOMINAL	ACTUAL
1-0	11 7/8"
1-2	13 7/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 80	9 x 81

8'0" FLUSH 1 LIGHT w/CUTOUT FIBERGLASS SIDELIGHT

FINE GRAIN | TAN | RIFT CUT | TAN | SATIN SMOOTH | WHITE



8'0" FLUSH W/9"x81" CUTOUT		
SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 80	9 x 81

HVHZ & WBDR APPROVED OPTIONS

8'0" 3/4 LIGHT w/9x65 CUTOUT FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
8 x 80	9 x 81
8 x 64	9 x 65

HVHZ & WBDP APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 1/2 LIGHT w/9x49 CUTOUT FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 80	9 x 81
8 x 48	9 x 49

HVHZ & WBDP APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.




SHAKER COLLECTION

FOR FIBERGLASS ENTRY DOORS

6'8" 1 PANEL SHAKER FIBERGLASS DOOR

RIFT CUT | *TAN* | SATIN SMOOTH | *WHITE*



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 1/4"
2-10	33 3/4"	5 1/4"
3-0	35 3/4"	6 1/4"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 64	23 x 65

- HVHZ & WBDR APPROVED OPTIONS
- FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 64	23 x 65

HVHZ & WBDP APPROVED OPTIONS
 FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 3 PANEL SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 17 3L	23 x 18
22 x 64	23 x 65

HVHZ & WBDP APPROVED OPTIONS
 FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.


6'8" 5 PANEL SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE




6'8" 3 PANEL CRAFTSMAN FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



6'8" CRAFTSMAN FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 13/16"
1-2	13 7/8"	2 13/16"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 17	9 x 18

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 1 PANEL SHAKER FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 1/4"
2-10	33 3/4"	5 1/4"
3-0	35 3/4"	6 1/4"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 80	23 x 81

- ADA COMPLIANT*
- HVHZ & WBDR APPROVED OPTIONS
- FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 2 PANEL SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
22 x 80	23 x 81

 HVHZ & WBDP APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 3 PANEL SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 80	23 x 81

 HVHZ & WBDP APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 5 PANEL SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 80	23 x 81

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 3 PANEL CRAFTSMAN FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 17	23 x 18
22 x 80	23 x 81

HVHZ & WBDR APPROVED OPTIONS
 FIRE RATED SATIN SMOOTH

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" CRAFTSMAN FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 17	9 x 18
8 x 80	9 x 81

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.




CONTEMPORARY COLLECTION

FOR FIBERGLASS ENTRY DOORS

6'8" CONTEMPORARY 05 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR HEIGHT


NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 12 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 14 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 16 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 24 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	18 3/4"
2-10	33 3/4"	20 3/4"
3-0	35 3/4"	22 3/4"
3-6	41 3/4"	28 3/4"

DOOR HEIGHT


NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 29 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 30 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	21"
2-10	33 3/4"	23"
3-0	35 3/4"	25"
3-6	41 3/4"	31"


DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

6'8" CONTEMPORARY 60 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH			
NOMINAL	ACTUAL	"A"	"B"
2-8	31 3/4"	5 3/8"	5 1/4"
2-10	33 3/4"	5 5/8"	5 5/8"
3-0	35 3/4"	6"	5 15/16"
3-6	41 3/4"	7"	6 15/16"


DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 05 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR HEIGHT


NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 12 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 14 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 16 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"

DOOR HEIGHT


NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 24 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	18 3/4"
2-10	33 3/4"	20 3/4"
3-0	35 3/4"	22 3/4"
3-6	41 3/4"	28 3/4"


DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 29 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	25 1/4"
2-10	33 3/4"	27 1/4"
3-0	35 3/4"	29 1/4"
3-6	41 3/4"	35 1/4"


DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 30 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	21"
2-10	33 3/4"	23"
3-0	35 3/4"	25"
3-6	41 3/4"	31"

DOOR HEIGHT


NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.

8'0" CONTEMPORARY 60 FIBERGLASS DOOR

FINE GRAIN | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"	"B"
2-8	31 3/4"	5 3/8"	5 1/4"
2-10	33 3/4"	5 5/8"	5 5/8"
3-0	35 3/4"	6"	5 15/16"
3-6	41 3/4"	7"	6 15/16"

DOOR HEIGHT

NOMINAL	ACTUAL
8-0	95"

ADA COMPLIANT*

Note: The dimension shown are to center line of grooves.




ESTATE FLUSH GLAZED

FOR FIBERGLASS ENTRY DOORS

6'8" 1 LIGHT FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH - 20 X 64 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-6	29 3/4"	5 5/16"	19 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
20 x 64	18 7/8 x 62 7/8

DOOR WIDTH - 22 X 64 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-8	31 3/4"	5 5/16"	21 1/8"
2-10	33 3/4"	6 5/16"	21 1/8"
3-0	35 3/4"	7 5/16"	21 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
22 x 64	20 7/8 x 62 7/8

DOOR WIDTH - 25 X 64 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-10	33 3/4"	4 13/16"	24 1/8"
3-0	35 3/4"	5 13/16"	24 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
25 x 64	23 7/8 x 62 7/8

ADA COMPLIANT*
 HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 1 LIGHT NARROW FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-0	23 3/4"	5 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
14 x 64	12 7/8 x 62 7/8

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 3/4 LIGHT ESTATE FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH - 20 X 48 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-6	29 3/4"	5 5/16"	19 1/8"
2-8	31 3/4"	6 5/16"	19 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
20 x 48	18 7/8 x 46 7/8

DOOR WIDTH - 25 X 48 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-10	33 3/4"	4 13/16"	24 1/8"
3-0	35 3/4"	5 13/16"	24 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
25 x 48	23 7/8 x 46 7/8

ADA COMPLIANT*
 HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" CRAFTSMAN PLANK FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 1/4"
2-10	33 3/4"	5 1/4"
3-0	35 3/4"	6 1/4"


DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
24 x 17 1/4"	22 7/8 x 16 1/8"

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 1 LIGHT FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	2 7/8"
1-2	13 7/8"	3 7/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
7 x 64"	5 7/8 x 62 7/8"

HVHZ & WBDP APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 3/4 LIGHT ESTATE FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	2 3/8"
1-2	13 7/8"	3 3/8"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
8 x 48	6 7/8 x 46 7/8

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

8'0" 1 LIGHT FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH - 20 X 80 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-6	29 3/4"	5 5/16"	19 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
20 x 80	18 7/8 x 78 7/8

DOOR WIDTH - 22 X 80 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-8	31 3/4"	5 5/16"	21 1/8"
2-10	33 3/4"	6 5/16"	21 1/8"
3-0	35 3/4"	7 5/16"	21 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
22 x 80	20 7/8 x 78 7/8

DOOR WIDTH - 25 X 80 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-10	33 3/4"	4 13/16"	24 1/8"
3-0	35 3/4"	5 13/16"	24 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
25 x 80	23 7/8 x 78 7/8

ADA COMPLIANT*
HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 1 LIGHT NARROW FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-0	23 3/4"	5 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
14 x 80	12 7/8 x 78 7/8

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 3/4 LIGHT ESTATE FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH - 20 X 64 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-6	29 3/4"	5 5/16"	19 1/8"
2-8	31 3/4"	6 5/16"	19 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
20 x 64	18 7/8 x 62 7/8

DOOR WIDTH - 25 X 64 GLASS SIZE			
NOMINAL	ACTUAL	"A"	"B"
2-10	33 3/4"	4 13/16"	24 1/8"
3-0	35 3/4"	5 13/16"	24 1/8"

DOOR HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
25 x 64	23 7/8 x 62 7/8

ADA COMPLIANT*
 HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 1 LIGHT FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	2 3/8"
1-2	13 7/8"	3 3/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
8 x 80	6 7/8 x 78 7/8

HVHZ & WBDP APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 3/4 LIGHT ESTATE FIBERGLASS SIDELIGHT

SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	2 3/8"
1-2	13 7/8"	3 3/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
8 x 64	6 7/8 x 62 7/8

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.




SHAKER FLUSH GLAZED

FOR FIBERGLASS ENTRY DOORS

6'8" 3/4 LIGHT SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH - 20 X 48 GLASS SIZE

NOMINAL	ACTUAL	"A"	"B"
2-8	31 3/4"	5 5/16"	21 1/8"
2-10	33 3/4"	6 5/16"	21 1/8"
3-0	35 3/4"	7 5/16"	21 1/8"

DOOR HEIGHT

NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS

SIZE	DAYLIGHT
22 x 48	20 7/8 x 46 7/8

DOOR WIDTH - 25 X 48 GLASS SIZE

NOMINAL	ACTUAL	"A"	"B"
2-10	33 3/4"	4 13/16"	24 1/8"
3-0	35 3/4"	5 13/16"	24 1/8"

DOOR HEIGHT

NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS

SIZE	DAYLIGHT
25 x 48	23 7/8 x 46 7/8


ADA COMPLIANT*

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 1/2 LIGHT SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	55 1/16"
2-10	33 3/4"	65 1/16"
3-0	35 3/4"	75 1/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
22 x 36	20 7/8 x 34 7/8

ADA COMPLIANT*

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL CRAFTSMAN FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	41 1/4"
2-10	33 3/4"	51 1/4"
3-0	35 3/4"	61 1/4"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
24 x 17 1/4	23 x 16 1/4

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 3/4 LIGHT SHAKER FIBERGLASS SIDELIGHT

SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	2 3/8"
1-2	13 3/4"	3 3/8"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
7 x 48	6 7/8 x 46 7/8

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" CRAFTSMAN FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 13/16"
1-2	13 7/8"	2 13/16"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
9 x 17 1/4	8 x 16 1/4

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

8'0" 3/4 LIGHT SHAKER FIBERGLASS DOOR

SATIN SMOOTH | WHITE



DOOR WIDTH - 22 X 64 GLASS SIZE

NOMINAL	ACTUAL	"A"	"B"
2-8	31 3/4"	5 5/16"	21 1/8"
2-10	33 3/4"	6 5/16"	21 1/8"
3-0	35 3/4"	7 5/16"	21 1/8"

DOOR HEIGHT

NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS

SIZE	DAYLIGHT
22 x 64	20 7/8 x 62 7/8

DOOR WIDTH - 25 X 64 GLASS SIZE

NOMINAL	ACTUAL	"A"	"B"
2-10	33 3/4"	4 13/16"	24 1/8"
3-0	35 3/4"	5 13/16"	24 1/8"

DOOR HEIGHT

NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS

SIZE	DAYLIGHT
25 x 64	23 7/8 x 62 7/8


ADA COMPLIANT*

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 2 PANEL CRAFTSMAN FIBERGLASS DOOR

RIFT CUT | TAN | SATIN SMOOTH | WHITE



DOOR WIDTH

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 1/4"
2-10	33 3/4"	5 1/4"
3-0	35 3/4"	6 1/4"

DOOR HEIGHT

NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS


SIZE	DAYLIGHT
24 x 21 1/4	22 7/8 x 20 1/8

HVHZ & WBDR APPROVED OPTIONS

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" 3/4 LIGHT SHAKER FIBERGLASS SIDELIGHT

SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	2 3/8"
1-2	13 7/8"	3 3/8"


SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
8 x 64	6 7/8 x 62 7/8

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.

8'0" CRAFTSMAN FIBERGLASS SIDELIGHT

RIFT CUT | TAN | SATIN SMOOTH | WHITE



SIDELIGHT WIDTH		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 13/16"
1-2	13 7/8"	2 13/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS SPECIFICATIONS	
SIZE	DAYLIGHT
9 x 21 1/4	8 x 20 1/4

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 95 1/4" doors.




PRO OAK

FOR FIBERGLASS ENTRY DOORS

6'8" FLUSH FIBERGLASS DOOR

TAN OAK | *TAN* | WHITE OAK | *WHITE*



DOOR WIDTH	
NOMINAL	ACTUAL
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"


DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

CLASS OPTIONS	
SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
7 x 64	8 x 65
8 x 64	9 x 65
22 x 10	23 x 11
22 x 36	23 x 37
22 x 48	23 x 49
22 x 64	23 x 65
22 x 17 3L	23 x 18

ADA COMPLIANT*

6'8" 6 PANEL FIBERGLASS DOOR

TAN OAK | TAN | WHITE OAK | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 7/16"
2-10	33 3/4"	5 7/16"
3-0	35 3/4"	6 7/16"


DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 64	23 x 65
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
8 x 64 2L	9 x 65

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 6 PANEL NARROW FIBERGLASS DOOR

TAN OAK | TAN | WHITE OAK | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-6*	29 3/4"	4 7/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
20 x 36	21 x 37
20 x 64	21 x 65

* 2 3/8" Backset Only

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 4 PANEL BLANK TOP FIBERGLASS DOOR

TAN OAK | TAN | WHITE OAK | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
9 x 21 SUN**	10 x 22 SUN
22 x 10	23 x 11
22 x 10 AT**	23 x 11 AT
22 x 36	23 x 37
22 x 36 RT**	23 x 37 RT
22 x 38 AT**	23 x 39 AT
22 x 64	23 x 65
22 x 64 RT**	23 x 65

**Refer to page 144-145 for non-rectangular cutout dimensions

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" 2 PANEL CAMBER PLANK FIBERGLASS DOOR

TAN OAK | TAN | WHITE OAK | WHITE



DOOR WIDTH		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 38 AT**	23 x 39 AT
22 x 64	23 x 65

**Refer to page 144-145 for non-rectangular cutout dimensions

Note: The dimension shown from bottom of door to bottom of embossment is 1/4" larger on 79 1/4" doors.

6'8" FLUSH FIBERGLASS SIDELIGHT

TAN OAK | TAN | WHITE OAK | WHITE



SIDELIGHT WIDTH	
NOMINAL	ACTUAL
1-0	11 7/8"
1-2	13 7/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
7 x 64	8 x 65
8 x 64	9 x 65




STEEL

WOOD-EDGE AND STEEL EDGE ENTRY DOORS

FEATURES

WOOD-EDGE STEEL DOORS



- 1.0 STEEL MARK, STEEL MARK PLUS & STEEL PRO SKINS**
- 1.1 Grade:- G40 hot-dipped galvanized
 - 1.2 24 gauge (Steel Mark & Steel Mark Plus)
 - 1.3 25 gauge (Steel Pro)

- 2.0 FOAM CORE**
- 2.1 Material: Polyurethane
 - 2.2 Density: 2.2 lbs/cu.ft

- 3.0 WOOD PERIMETER**
- 3.1 Material: spruce, pine, fir, or equivalent
 - 3.2 Source: SFI 3rd party chain of custody certified


- 4.0 WOOD LOCK BLOCK**
- 4.1 4" x 12" pine (includes stile thickness) 6'8" and 7'0"
 - 4.2 4" x 24" pine (includes stile thickness) 8'0"

- PRIMER | PAINT COATING**
- Material – polyester based paint

- PACKAGING**
- Doors per pallet: 27
 - SideLights per pallet: 30
 - Banding: Metal (x2)
 - Other: Corner boards (x4)
 - Polyfilm wrap
 - Product identification all four sides
 - Four way access pallet

- FIRE RATING**
- 20 minute positive pressure with hose stream up to 3'0" x 6'8"


- STANDARD FEATURES**
- 4" mortise hinge prep
 - Cylindrical lock prep
 - Proud edge design
 - 1 3/4" door thickness



STILE & RAIL CONSTRUCTION DETAIL

FEATURES

STEEL-EDGE STEEL DOORS



- 1.0 STEEL MARK & STEEL MARK PLUS SKINS**
- 1.1 Grade:- G40 hot-dipped galvanized
 - 1.2 24 gauge (Steel Mark & Steel Mark Plus)

- 2.0 FOAM CORE**
- 2.1 Material: Polyurethane
 - 2.2 Density: 2.2 lbs/cu.ft

- 3.0 WOOD PERIMETER WITH STEEL EDGE STILES**
- 3.1 Material: spruce, pine, fir, or equivalent
 - 3.2 Source: SFI 3rd party chain of custody certified
 - 3.3 22 gauge steel edge plates


- 4.0 WOOD LOCK BLOCK**
- 4.1 4" x 12" pine (includes stile thickness) 6'8"

- PRIMER | PAINT COATING**
- Material – polyester based paint

- PACKAGING**
- Doors per pallet: 27
 - SideLights per pallet: 30
 - Banding: Metal (x2)
 - Other: Corner boards (x4)
 - Polyfilm wrap
 - Product identification all four sides
 - Four way access pallet

- FIRE RATING**
- 20 minute positive pressure without hose stream up to 3'0" x 6'8"

- STANDARD FEATURES**
- 4" surface mounted adjustable hinge prep
 - Cylindrical lock prep
 - Proud edge design
 - 1 3/4" door thickness



STILE & RAIL CONSTRUCTION DETAIL


EDGE PREP DETAILS

STEEL-EDGE STEEL DOORS


HARDWARE LOCATIONS

FOR WOOD-EDGE AND STEEL-EDGE STEEL DOORS


LATCH PREP



HINGE PREP




6'8" LOCATIONS WOOD-EDGE & STEEL EDGE 7'0" LOCATIONS WOOD-EDGE



DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"
7-0	83"	49 7/8"

8'0" LOCATIONS WOOD-EDGE



DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
8-0	95"	59"


EMBOSSMENT PROFILES STEEL DOORS AND SIDELIGHTS




HD EMBOSSEMENT




DETAILS EMBOSSEMENT




EUROLINE EMBOSSEMENT



STANDARD EMBOSSEMENT



URBAN EMBOSSEMENT




STEEL MARK® & STEEL MARK® PLUS

WOOD-EDGE AND STEEL EDGE ENTRY DOORS

6'8" FLUSH STEEL DOOR

WOOD EDGE | STEEL PRO®, STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

ADA COMPLIANT*



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR WIDTH - STEEL EDGE

NOMINAL	ACTUAL
2-6	29 11/16"
2-8	31 11/16"
2-10	33 11/16"
3-0	35 11/16"
3-6	41 11/16"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS


SIZE	CUTOUT
7 x 64	8 x 65
8 x 64	9 x 65
11 x 5 3L	12 x 6 3L
12 x 12 3L	13 x 13 3L
3.5 x 22 5L	4.5 x 23 5L
22 x 10 3L	23 x 11 3L
22 x 36	23 x 37
22 x 36 RT**	23 x 37 RT
22 x 64	23 x 65
22 x 17 3L	23 x 18
20 x 56 oval**	21 x 57 oval
22 x 64 RT**	23 x 65 RT
14 x 64	15 x 65

GARDEN DOOR SIZES AVAILABLE

**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" 6 PANEL STEEL DOOR

WOOD EDGE | STEEL PRO®, STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR WIDTH - STEEL EDGE

NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 9/32"
2-10	33 11/16"	5 9/32"
3-0	35 11/16"	6 9/32"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"
7-0*	83"	49 7/8"

GLASS OPTIONS

SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
22 x 6	23 x 7
22 x 36	23 x 37
22 x 64	23 x 65

6'8" 4 PANEL STEEL DOOR


WOOD EDGE | STEEL PRO®, STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 9/32"
2-10	33 11/16"	5 9/32"
3-0	35 11/16"	6 9/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
9 x 21 SUN**	10 x 22 SUN
22 x 10 AT**	23 x 11 AT
22 x 36	23 x 37
22 x 36 RT**	23 x 37 RT
22 x 38 AT**	23 x 39 AT
22 x 64	23 x 65
22 x 6	23 x 7



**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" 3 PANEL STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 9/32"
2-10	33 11/16"	5 9/32"
3-0	35 11/16"	6 9/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
15 x 39 oval**	16 x 40 oval



**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" 2 PANEL 3/4 TOP STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 9/32"
2-10	33 11/16"	5 9/32"
3-0	35 11/16"	6 9/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

CLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
22 x 64	23 x 65
15 x 39 oval**	16 x 40 oval



**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" 2 PANEL SQUARE STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

CLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 64	23 x 65



6'8" 2 PANEL CAMBER STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 38 AT**	23 x 39 AT
22 x 64	23 x 65



**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" 2 PANEL CAMBER PLANK STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 36	23 x 37
22 x 38 AT**	23 x 39 AT
22 x 64	23 x 65



**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" EUROLINE 6 STEEL DOOR | DISCONTINUED 2026

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS




DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

6'8" 4 PANEL URBAN STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
22 x 64	23 x 65

6'8" 3 PANEL URBAN STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
 STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 48	23 x 49
22 x 64	23 x 65



6'8" 3 PANEL URBAN CRAFTSMAN STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS
 STEEL EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR WIDTH - STEEL EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 11/16"	4 11/32"
2-10	33 11/16"	5 11/32"
3-0	35 11/16"	6 11/32"


DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
22 x 17	23x 18
22 x 64	23 x 65



6'8" FLUSH STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE	
NOMINAL	ACTUAL
1-0	11 7/8"
1-2	13 7/8"
1-6	17 7/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
7 x 64	8 x 65
8 x 64	9 x 65

6'8" 2 PANEL REVERSE STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"
1-6	17 7/8"	47 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 36	9 x 37
8 x 64	9 x 65

6'8" 2 PANEL REVERSE STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"
1-6	17 7/8"	47 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 48	9 x 49
8 x 64	9 x 65

6'8" FLUSH w/1 LIGHT CUTOUT STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"
1-6	17 7/8"	47 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
7 x 64	8 x 65

6'8" 3/4 LIGHT w/9x49 CUTOUT STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"
1-6	17 7/8"	47 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 48	9 x 49

6'8" 1/2 LIGHT w/9x37 CUTOUT STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	17 1/16"
1-2	13 7/8"	27 1/16"
1-6	17 7/8"	47 1/16"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 36	9 x 37

6'8" 3/4 URBAN w/9x49 CUTOUT STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 15/32"
1-2	13 7/8"	2 15/32"
1-6	17 7/8"	4 15/32"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 48	9 x 49

6'8" 1/4 URBAN w/9x15 1/2 CUTOUT STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



SIDELIGHT WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
1-0	11 7/8"	1 15/32"
1-2	13 7/8"	2 15/32"
1-6	17 7/8"	4 15/32"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
6-8	79"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 17	9 x 18

7'0" FLUSH STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS


DOOR WIDTH - WOOD EDGE	
NOMINAL	ACTUAL
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
7-0	83"	49 7/8"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 64	9 x 65
20 x 56 oval**	21 x 57 oval
22 x 36	23 x 37
22 x 36 RT**	23 x 37 RT
22 x 64	23 x 65
22 x 64 RT**	23 x 65 RT
22 x 17 3L	23 x 18
14 x 64	15 x 65

ADA COMPLIANT*

GARDEN DOOR SIZES AVAILABLE



**Refer to page 144-145 for non-rectangular cutout dimensions

7'0" 6 PANEL STEEL DOOR


WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS

DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
7-0	83"	49 7/8"


GLASS OPTIONS	
SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
22 x 36	23 x 37
22 x 64	23 x 65
22 x 6	23 x 7

ADA COMPLIANT*



7'0" 4 PANEL STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
7-0	83"	49 7/8"

GLASS OPTIONS


SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
22 x 10 AT**	23 x 11 AT
22 x 36	23 x 37
22 x 36 RT**	23 x 37 RT
22 x 64	23 x 65
22 x 64 RT**	23 x 65 RT
22 x 38 AT**	23 x 39 AT
9 x 21 SUN**	10 x 22 SUN
22 x 6	23 x 7

ADA COMPLIANT*

**Refer to page 144-145 for non-rectangular cutout dimensions

7'0" 2 PANEL 3/4 TOP STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
7-0	83"	49 7/8"

GLASS OPTIONS


SIZE	CUTOUT
22 x 48	23 x 49
22 x 64	23 x 65
15 x 39 oval**	16 x 40 oval

ADA COMPLIANT*

**Refer to page 144-145 for non-rectangular cutout dimensions

7'0" FLUSH STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS




SIDELIGHT WIDTH - WOOD EDGE	
NOMINAL	ACTUAL
1-0	11 ⁷ / ₈ "
1-2	13 ⁷ / ₈ "
1-6	17 ⁷ / ₈ "

DOOR HEIGHT	
NOMINAL	ACTUAL
6-8	79"
7-0	83"

GLASS OPTIONS	
SIZE	CUTOUT
7 x 64	8 x 65
8 x 64	9 x 65

8'0" FLUSH STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE	
NOMINAL	ACTUAL
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"
3-6	41 3/4"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
8-0	95"	59"


GLASS OPTIONS	
SIZE	CUTOUT
22 x 80	23 x 81
22 x 36	23 x 37
22 x 64	23 x 65
22 x 17 3L	23 x 18
20 x 56 oval**	21 x 57 oval
22 x 64 RT**	23 x 65 RT
14 x 80	15 x 81
20 x 80	21 x 81

ADA COMPLIANT*

**Refer to page 144-145 for non-rectangular cutout dimensions

8'0" 6 PANEL STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT


NOMINAL	ACTUAL	CYLINDRICAL PREP
8-0	95"	59"

GLASS OPTIONS

SIZE	CUTOUT
8 x 48 2L	9 x 49
22 x 48	23 x 49
22 x 80	23 x 81

8'0" 2 PANEL SQUARE STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
8-0	95"	59"


GLASS OPTIONS

SIZE	CUTOUT
22 x 48	23 x 49
22 x 80	23 x 81

ADA COMPLIANT*

8'0" EUROLINE 8 STEEL DOOR | DISCONTINUED 2026

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE


NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 3/8"
2-10	33 3/4"	5 3/8"
3-0	35 3/4"	6 3/8"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
8-0	95"	59"

8'0" 2 PANEL w/23x65 CUTOUT STEEL DOOR

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT


NOMINAL	ACTUAL	CYLINDRICAL PREP
8-0	95"	59"

GLASS OPTIONS

SIZE	CUTOUT
22 x 64	23 x 65

8'0" FLUSH STEEL SIDELIGHT

WOOD EDGE | STEEL MARK® & STEEL MARK® PLUS



SIDELIGHT WIDTH	
NOMINAL	ACTUAL
1-0	11 7/8"
1-2	13 7/8"
1-6	17 7/8"

SIDELIGHT HEIGHT	
NOMINAL	ACTUAL
8-0	95"

GLASS OPTIONS	
SIZE	CUTOUT
8 x 80	9 x 81




STEEL PRO®

WOOD-EDGE AND STEEL EDGE ENTRY DOORS

6'8" FLUSH STEEL DOOR

WOOD EDGE | STEEL PRO®



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL
2-6	29 3/4"
2-8	31 3/4"
2-10	33 3/4"
3-0	35 3/4"

DOOR HEIGHT

NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS

SIZE	CUTOUT
7 x 64	8 x 65
11 x 5 3L	12 x 6 3L
12 x 12 3L	13 x 13 3L
22 x 3.5 5L	23 x 4.5 5L
22 x 10 3L	23 x 11 3L
22 x 36	23 x 37
22 x 64	23 x 65
22 x 64 RT**	23 x 65 RT
20 x 56 oval**	21 x 57 oval


ADA COMPLIANT*

GARDEN DOOR SIZES AVAILABLE

**Refer to page 144-145 for non-rectangular cutout dimensions

6'8" 6 PANEL STEEL DOOR

WOOD EDGE | STEEL PRO®



DOOR WIDTH - WOOD EDGE

NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT


NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"

GLASS OPTIONS

SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
22 x 36	23 x 37
22 x 64	23 x 65
22 x 6	23 x 7

6'8" 4 PANEL STEEL DOOR

WOOD EDGE | STEEL PRO®



DOOR WIDTH - WOOD EDGE		
NOMINAL	ACTUAL	"A"
2-8	31 3/4"	4 5/16"
2-10	33 3/4"	5 5/16"
3-0	35 3/4"	6 5/16"

DOOR HEIGHT		
NOMINAL	ACTUAL	CYLINDRICAL PREP
6-8	79"	45 7/8"


GLASS OPTIONS	
SIZE	CUTOUT
8 x 6 2L	9 x 7
8 x 36 2L	9 x 37
22 x 10 AT**	23 x 11 AT
22 x 36	23 x 37
22 x 38 AT**	23 x 39 AT
22 x 36 RT**	23 x 37 RT
22 x 64	23 x 65
22 x 64 RT**	23 x 65 RT
9 x 21 SUN**	10 x 22 SUN
22 x 6	23 x 7

**Refer to page 144-145 for non-rectangular cutout dimensions




ADDITIONAL RESOURCES


SHAPED DOORGLASS CUTOUT DIMENSIONS



22 x 64 RT




OVAL




SHAPED DOORGLASS CUTOUT DIMENSIONS


SUNBURST




22 x 36 RT



22 x 38 AT



FIRE RATED OPTIONS FIBERGLASS DOORS



PRODUCT:
ODL Fiberglass Satin Smooth Texture Fire Rated Door.

FIRE CLASS AND FEATURED STANDARDS:
20 minute Fire Rated Category B door; UL 10C; UL 10B; NFPA 252 (US).


FIRE RESISTANCE AND APPLICATION:
20 minute Positive Pressure with Hose Stream.
Must be installed in accordance with NFPA 80.
Category "B" Door requires a listed category "G" gasket in positive pressure applications.
Smoke and Draft door rating requires a listed category "H" gasket.

PRODUCT DESCRIPTION:
Fiberglass face, fire-resistant PU foam core door.
4" LSL stiles with maple wood caps.
Flush and embossed door designs.
20 minute mylar fire label applied or custom label for authorized customers.

SIZES:
Max size opening: 3'0" wide x 6'8" or 8'0" high, door thickness: 1 3/4".

LIMITATIONS:
Single units only. Approved for cylindrical latch and dead bolt—maximum 2 3/4" backset.
Permitted surface mounted listed and labeled hardware.

FIRE RATED OPTIONS WOOD-EDGE & STEEL-EDGE STEEL DOORS



PRODUCT:
ODL Steel Mark® and Steel Mark® Plus Wood Edge and Steel Edge options with PU Foam Core.

FIRE CLASS AND FEATURED STANDARDS:
20 minute Fire Rated Category B door; UL 10C; UL 10B; NFPA 252 (US).


FIRE RESISTANCE AND APPLICATION:
Wood Edge: 20 minute Positive Pressure with Hose Stream.
Steel Edge: 20 minute Positive Pressure without Hose Stream.
Must be installed in accordance with NFPA 80.
Category "B" Door requires a listed category "G" gasket in positive pressure applications.
Smoke and Draft door rating requires a listed category "H" gasket.

PRODUCT DESCRIPTION:
Steel skin 24ga wood edge door with PU foam core.
Flush and embossed door designs.
20 minute metal fire label applied or custom label for authorized customers.


SIZES:
Max size opening: 3'0" wide x 6'8" high, door thickness: 1 3/4".

LIMITATIONS:
Single units only. Approved for cylindrical latch and dead bolt—maximum 2 3/4" backset.
Permitted surface mounted listed and labeled hardware.


ADA OPTIONS AMERICANS WITH DISABILITIES ACT COMPLIANT DOORS



6'8" Flush
6'8" 6 Panel
6'8" 2 Panel Square



7'0" Flush
7'0" 6 Panel
7'0" 2 Panel Square



8'0" Flush

PRODUCT:

ODL Fiberglass and Steel door collections include residential doors ideal for multi-family applications.

FEATURES AND BENEFITS:

- 10" bottom rail enables kick plate to be installed
- ADA panel doors pair with standard doorglass sizes
- Flush doors pairs with ADA compliant 22x60 or 22x76 ODL door-glass sizes




SDL KITS FIBERGLASS DOOR ACCESSORIES

SEE CATALOG FOR AVAILABLE SDL KIT ASSEMBLIES



Wide 3½" SDL flat bar, comes in 25" lineals



Narrow 1 ⅛" SDL bar

SDL KIT INSTALLATION

FLUSH GLAZED FIBERGLASS DOORS

- STEP 1. Prepare the Door and Glass Lay the door on a clean, flat surface with the exterior side facing up. Using a non-ammonia glass cleaner, thoroughly clean the glass to remove all dirt, dust, grease, and residue. Dry the glass completely with a lint-free cloth, ensuring no moisture remains before proceeding with installation.
- STEP 2. Organize and Align Grille Bars Arrange all grille bars on a clean, flat surface. Confirm that the bar lengths and configuration match your door's layout. Measure the glass opening and identify the centerlines for both vertical and horizontal bars. Lightly mark reference points on the glass using a pencil or washable marker for precise alignment.
Tip: Masking tape may be used to create guide lines for accurate placement.
- STEP 3. Install Vertical Bars Begin with the vertical bars. Peel back 1-2 inches of the adhesive liner at the top of each bar. Align the bar with your reference marks and press firmly onto the glass. Gradually remove the remaining liner while pressing the bar into place from top to bottom. Apply firm, even pressure along the entire length to activate the adhesive.
- STEP 4. Install Horizontal Bars Repeat the process for the horizontal bars, ensuring intersections align evenly with the vertical bars. Use a level to confirm that all bars are straight before applying final pressure. Press firmly at each intersection point for secure adhesion.
- STEP 5. Complete Installation on Both Sides Flip the door so the interior side is facing up and repeat steps 1 through 4. Once all bars are installed, press firmly along each grille bar, paying special attention to corners and intersections. Allow the grille bars to remain undisturbed for 24 hours to ensure full adhesive bonding.


DENTIL SHELVES

FIBERGLASS DOOR ACCESSORIES



4 Block Dentil Shelf

23 1/2" x 3 1/2"



2 Tier Dentil Shelf

23 3/4" x 2 1/2"

DENTIL SHELF INSTALLATION

FIBERGLASS AND HD STEEL CRAFTSMAN DOORS

STEP 1. Lay the door on a clean, flat surface with the exterior of the door facing up. Clean the door to remove all dirt and debris using a mild soap and water solution. Thoroughly rinse the door with clean water to remove any soap residue. Door must be completely dry prior to dentil shelf installation.

STEP 2. Before applying the adhesive tape, place the dentil shelf at the desired location on the door panel. The shelf should be centered on the width of the door and parallel to the glass opening. The shelf should also be centered between the glass opening (flush glazed doors), or doorglass frame and the vertical embossments on the panel. Once located, lightly mark the position on the door with a graphite pencil along the top and sides of the shelf.
See Fig. 1.

STEP 3. Lightly sand **ONLY** the backside of the dentil shelf where the adhesive strip will be applied. Ensure the surface is dry and free of all dust, dirt, and debris. Without removing the adhesive liner place the adhesive strip against the shelf to determine correct fit. Any protruding portions of the adhesive strip should be trimmed prior to installation.

STEP 4. Remove the protective liner on one side only of the adhesive strip and carefully align the adhesive strip with the dentil shelf. Ensure good contact of the adhesive strip and the dentil shelf by applying pressure.

STEP 5. Remove the other side of the protective liner and using the pencil marks, locate the shelf on the door panel. Apply firm pressure to the dentil shelf to ensure proper adhesion.
See Fig. 2.




FIG. 1




FIG. 2

ADJUSTABLE HINGE INSTRUCTIONS

STEEL EDGE DOORS

TOOLS AND MATERIALS NEEDED

- Pencil
- Phillips Head Screwdriver
- Pry Bar
- Measuring Tape
- Safety Glasses

STEP 1. ADD REFERENCE MARKS

Determine proper fit and use a pencil to make reference marks between the door and top and side of hinge. See Fig. 1.



FIG. 1

STEP 2. LOOSEN HINGE SCREWS

Loosen hinge screws using a Phillips head screwdriver (**do not completely remove screws**).

STEP 3. BREAK TEMPORARY BOND

The door is prepped for hinges using factory preset locations that are temporarily bonded in place.

To adjust your door it is necessary to break the temporary bond by using a pry bar at the bottom **hinge side** of the door. Apply force upwards. Use caution to avoid damage to the door sweep. Once the bond is broken the hinge reinforcement plates in the door will move freely. See Fig. 2.



FIG. 2
FACTORY PRESET



FIG. 3
UP ADJUSTMENT



FIG. 4
DOWN ADJUSTMENT



FIG. 5
IN ADJUSTMENT



FIG. 6
OUT ADJUSTMENT

STEP 4. ADJUSTMENT DETAILS

The door can be vertically adjusted 5/8" and 1/8" in or out.

STEP 5. UP/DOWN ADJUSTMENTS

To adjust up or down use the pry bar to lift the door to desired height then tighten the screws on all three hinges. See Fig. 3 & 4.

STEP 6. TOP IN/OUT ADJUSTMENTS

For top in/out adjustment, use the pry bar to lift the door to desired height then tighten all screws on the bottom hinge. Adjust door in/out as needed then tighten screws on remaining hinges. See Fig. 5 & 6.

STEP 7. BOTTOM IN/OUT ADJUSTMENTS

For bottom in/out adjustment, use the pry bar to lift the door to desired height then tighten all screws on the top hinge. Adjust door in/out as needed then tighten screws on remaining hinges. See Fig. 5 & 6.

STEP 8. FINAL STEP

When complete, double check that all hinge screws are sufficiently secure.



EXPLORE MORE WITH
OUR CATALOG+

