



ESTATE FIBERGLASS DOORS

ENERGY PERFORMANCE RATINGS

		U-FACTOR (BTU/HR-FT ² -°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)										
PRODUCT DESCRIPTION		1/4 Light		1/2 Light		3/4 Light		Full Light				
		Glazing <411 in ²		Glazing 411 in ² to 900 in ²		Glazing 901 in ² to 1100 in ²		Glazing > 1100 in ²				
		U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC			
DECORATIVE GLASS												
STANDARD		0.18	0.09	0.22	0.16	0.25	0.21	0.3	0.28			
		CPD # ODL-K-10-01211-00001		CPD # ODL-K-10-01212-00001		CPD # ODL-K-10-01213-00001		CPD # ODL-K-10-01182-00001				
IMPACT		0.18	0.08	0.22	0.14	0.25	0.19	0.28	0.25			
		CPD # ODL-K-10-01083-00001		CPD # ODL-K-10-01084-00001		CPD # ODL-K-10-01085-00001		CPD # ODL-K-10-01086-00001				
PRIVACY + TEXTURED GLASS												
1" PRIVACY + TEXTURED		0.2	0.1	0.25	0.19	0.29	0.25	0.33	0.33			
		CPD # ODL-K-10-01387-00001		CPD # ODL-K-10-01388-00001		CPD # ODL-K-10-01389-00001		CPD # ODL-K-10-01390-00001				
1" LOW-E 73		0.18	0.09	0.22	0.16	0.24	0.21	0.28	0.28			
		CPD # ODL-K-10-01399-00001		CPD # ODL-K-10-01400-00001		CPD # ODL-K-10-01401-00001		CPD # ODL-K-10-01402-00001				
LOW-E IMPACT 180		0.19	0.08	0.23	0.14	0.27	0.19	0.31	0.25			
		CPD # ODL-K-10-01107-00001		CPD # ODL-K-10-01108-00001		CPD # ODL-K-10-01109-00001		CPD # ODL-K-10-01110-00001				
CLASSIC												
SDLs	1" PRIVACY + TEXTURED	0.2	0.1	0.26	0.18	0.3	0.24	0.36	0.31			
		CPD # ODL-K-10-01167-00001		CPD # ODL-K-10-01168-00001		CPD # ODL-K-10-01169-00001		CPD # ODL-K-10-01170-00001				
	1" CLEAR	0.2	0.1	0.26	0.18	0.3	0.24	0.36	0.31			
		CPD # ODL-K-10-01167-00001		CPD # ODL-K-10-01168-00001		CPD # ODL-K-10-01169-00001		CPD # ODL-K-10-01170-00001				
	1" LOW-E 73	0.19	0.08	0.23	0.15	0.26	0.2	0.3	0.27			
		CPD # ODL-K-10-01171-00001		CPD # ODL-K-10-01172-00001		CPD # ODL-K-10-01173-00001		CPD # ODL-K-10-01174-00001				
GBGs	1" CLEAR	0.2	0.1	0.25	0.18	0.29	0.24	0.33	0.31			
		CPD # ODL-K-10-01391-00001		CPD # ODL-K-10-01392-00001		CPD # ODL-K-10-01393-00001		CPD # ODL-K-10-01394-00001				
	1" LOW-E 73	0.18	0.08	0.22	0.15	0.24	0.2	0.28	0.27			
		CPD # ODL-K-10-01403-00001		CPD # ODL-K-10-01404-00001		CPD # ODL-K-10-01405-00001		CPD # ODL-K-10-01406-00001				
	IMPACT	0.19	0.09	0.23	0.16	0.27	0.21	0.31	0.28			
		CPD # ODL-K-10-01095-00001		CPD # ODL-K-10-01096-00001		CPD # ODL-K-10-01097-00001		CPD # ODL-K-10-01098-00001				
EXTERNAL GRILLES	1/2" CLEAR	0.2	0.1	0.26	0.18	0.3	0.24	0.35	0.31			
		CPD # ODL-K-10-01375-00001		CPD # ODL-K-10-01376-00001		CPD # ODL-K-10-01377-00001		CPD # ODL-K-10-01378-00001				
	1/2" LOW-E 73	0.19	0.08	0.23	0.15	0.26	0.2	0.3	0.27			
		CPD # ODL-K-10-01383-00001		CPD # ODL-K-10-01384-00001		CPD # ODL-K-10-01385-00001		CPD # ODL-K-10-01386-00001				
	1" LOW-E 73	0.18	0.08	0.22	0.15	0.24	0.2	0.28	0.27			
		CPD # ODL-K-10-01407-00001		CPD # ODL-K-10-01408-00001		CPD # ODL-K-10-01409-00001		CPD # ODL-K-10-01410-00001				
1" PRIVACY + TEXTURED LOW-E	0.18	0.08	0.22	0.15	0.24	0.2	0.28	0.27				
	CPD # ODL-K-10-01407-00001		CPD # ODL-K-10-01408-00001		CPD # ODL-K-10-01409-00001		CPD # ODL-K-10-01410-00001					
CLEAR	1" CLEAR	0.2	0.1	0.25	0.19	0.29	0.25	0.33	0.33			
		CPD # ODL-K-10-01387-00001		CPD # ODL-K-10-01388-00001		CPD # ODL-K-10-01389-00001		CPD # ODL-K-10-01390-00001				
	1" LOW-E 73	0.18	0.09	0.22	0.16	0.24	0.21	0.28	0.28			
		CPD # ODL-K-10-01399-00001		CPD # ODL-K-10-01400-00001		CPD # ODL-K-10-01401-00001		CPD # ODL-K-10-01402-00001				
	1" LOW-E 366	0.18	0.04	0.21	0.07	0.23	0.09	0.26	0.12			
		CPD # ODL-K-10-01423-00001		CPD # ODL-K-10-01424-00001		CPD # ODL-K-10-01425-00001		CPD # ODL-K-10-01426-00001				
	1" CLEAR IMPACT	0.19	0.09	0.23	0.17	0.27	0.22	0.31	0.3			
		CPD # ODL-K-10-01099-00001		CPD # ODL-K-10-01100-00001		CPD # ODL-K-10-01101-00001		CPD # ODL-K-10-01102-00001				
	1" LOW-E 180 IMPACT	0.19	0.08	0.23	0.14	0.27	0.19	0.31	0.25			
CPD # ODL-K-10-01107-00001		CPD # ODL-K-10-01108-00001		CPD # ODL-K-10-01109-00001		CPD # ODL-K-10-01110-00001						
1" LOW-E 180 STC	0.19	0.08	0.24	0.14	0.28	0.19	0.33	0.25				
	CPD # ODL-K-10-01507-00001		CPD # ODL-K-10-01508-00001		CPD # ODL-K-10-01509-00001		CPD # ODL-K-10-01510-00001					
KEY		MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN ALL 50 STATES			MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN SOUTH-CENTRAL AND SOUTHERN REGIONS			MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN NORTHERN AND NORTH-CENTRAL REGIONS			DOES NOT MEET ENERGY STAR 7.0 U-FACTOR AND SHGC QUALIFICATIONS	



ESTATE FIBERGLASS DOORS

ENERGY PERFORMANCE RATINGS

		U-FACTOR (BTU/HR-FT ² -°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)							
PRODUCT DESCRIPTION		1/4 Light		1/2 Light		3/4 Light		Full Light	
		Glazing <411 in ²		Glazing 411 in ² to 900 in ²		Glazing 901 in ² to 1100 in ²		Glazing > 1100 in ²	
		U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC
CLASSIC									
VENTS	PRIVACY + TEXTURED LOW-E								
	3/4" CLEAR			0.26	0.18				
	3/4" LOW-E 73			0.23	0.15				
BLINDS + GLASS									
STANDARD	CLEAR	0.2	0.08	0.25	0.15	0.29	0.2	0.34	0.27
		CPD # ODL-K-10-00955-00001		CPD # ODL-K-10-00956-00001		CPD # ODL-K-10-00957-00001		CPD # ODL-K-10-00958-00001	
	LOW-E 270	0.18	0.04	0.22	0.08	0.24	0.1	0.28	0.14
		CPD # ODL-K-10-00959-00001		CPD # ODL-K-10-00960-00001		CPD # ODL-K-10-00961-00001		CPD # ODL-K-10-00962-00001	
LOW-E 366	0.18	0.03	0.22	0.06	0.24	0.08	0.27	0.10	
	CPD # ODL-K-10-00963-00001		CPD # ODL-K-10-00964-00001		CPD # ODL-K-10-00965-00001		CPD # ODL-K-10-00966-00001		
1-1/4" IMPACT	CLEAR	0.18	0.07	0.24	0.14	0.27	0.18	0.32	0.24
		CPD # ODL-K-10-01051-00001		CPD # ODL-K-10-01052-00001		CPD # ODL-K-10-01053-00001		CPD # ODL-K-10-01054-00001	
	LOW-E 180	0.19	0.06	0.24	0.12	0.27	0.15	0.32	0.2
		CPD # ODL-K-10-01055-00001		CPD # ODL-K-10-01056-00001		CPD # ODL-K-10-01057-00001		CPD # ODL-K-10-01058-00001	
LOW-E 366	0.19	0.03	0.24	0.06	0.27	0.08	0.31	0.1	
	CPD # ODL-K-10-01059-00001		CPD # ODL-K-10-01060-00001		CPD # ODL-K-10-01061-00001		CPD # ODL-K-10-01062-00001		
TRIPLE-GLAZED ENCLOSED BLINDS									
LOW-E				0.18	0.12			0.21	0.21
			CPD # ODL-K-10-00993-00001				CPD # ODL-K-10-00994-00001		
PANELED DOORS (OPAQUE)									
FLUSH DOORS	STANDARD	0.12 / 0.01 / CPD # ODL-K-10-00002-00001							
	PLUS	0.14 / 0.01 / CPD # ODL-K-10-02036-00001							
	PREMIUM BUILD	0.16 / 0.01 / CPD # ODL-K-10-04070-00001							
ESTATE DOORS	STANDARD	0.13 / 0.01 / CPD # ODL-K-10-00001-00001							
	PLUS	0.15 / 0.01 / CPD # ODL-K-10-02035-00001							
	PREMIUM BUILD	0.17 / 0.01 / CPD # ODL-K-10-04069-00001							

KEY

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN ALL 50 STATES

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN SOUTH-CENTRAL AND SOUTHERN REGIONS

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN NORTHERN AND NORTH-CENTRAL REGIONS

DOES NOT MEET ENERGY STAR 7.0 U-FACTOR AND SHGC QUALIFICATIONS



SHAKER FIBERGLASS DOORS

ENERGY PERFORMANCE RATINGS

		U-FACTOR (BTU/HR-FT ² -°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)							
PRODUCT DESCRIPTION		1/4 Light		1/2 Light		3/4 Light		Full Light	
		Glazing <411 in ²		Glazing 411 in ² to 900 in ²		Glazing 901 in ² to 1100 in ²		Glazing > 1100 in ²	
		U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC
DECORATIVE GLASS									
STANDARD		0.19	0.08	0.23	0.16	0.25	0.21	0.3	0.28
		CPD # ODL-K-12-01210-00001		CPD # ODL-K-12-01211-00001		CPD # ODL-K-12-01212-00001		CPD # ODL-K-10-01182-00001	
IMPACT		0.18	0.08	0.22	0.14	0.25	0.18	0.28	0.25
		CPD # ODL-K-12-01082-00001		CPD # ODL-K-12-01083-00001		CPD # ODL-K-12-01084-00001		CPD # ODL-K-10-01086-00001	
PRIVACY + TEXTURED GLASS									
1" PRIVACY + TEXTURED		0.20	0.10	0.25	0.19	0.29	0.25	0.33	0.33
		CPD # ODL-K-12-01386-00001		CPD # ODL-K-12-01387-00001		CPD # ODL-K-12-01388-00001		CPD # ODL-K-10-01390-00001	
1" LOW-E CS73		0.19	0.09	0.22	0.16	0.25	0.21	0.28	0.28
		CPD # ODL-K-12-01398-00001		CPD # ODL-K-12-01399-00001		CPD # ODL-K-12-01400-00001		CPD # ODL-K-10-01402-00001	
LOW-E IMPACT 180		0.19	0.08	0.24	0.14	0.27	0.19	0.31	0.25
		CPD # ODL-K-12-01106-00001		CPD # ODL-K-12-01107-00001		CPD # ODL-K-12-01108-00001		CPD # ODL-K-10-01110-00001	
CLASSIC									
SDLs	1" PRIVACY + TEXTURED	0.21	0.09	0.26	0.17	0.30	0.23	0.36	0.31
		CPD # ODL-K-12-01166-00001		CPD # ODL-K-12-01167-00001		CPD # ODL-K-12-01168-00001		CPD # ODL-K-10-01170-0001	
	1" CLEAR	0.21	0.09	0.26	0.17	0.30	0.23	0.36	0.31
		CPD # ODL-K-12-01166-00001		CPD # ODL-K-12-01167-00001		CPD # ODL-K-12-01168-00001		CPD # ODL-K-10-01170-0001	
	1" LOW-E CS73	0.19	0.08	0.23	0.15	0.26	0.20	0.3	0.27
		CPD # ODL-K-12-01170-00001		CPD # ODL-K-12-01171-00001		CPD # ODL-K-12-01172-00001		CPD # ODL-K-10-01174-00001	
GBGs	1" CLEAR	0.20	0.09	0.25	0.17	0.29	0.23	0.33	0.31
		CPD # ODL-K-12-01390-00001		CPD # ODL-K-12-01391-00001		CPD # ODL-K-12-01392-00001		CPD # ODL-K-10-01394-00001	
	1" LOW-E CS73	0.19	0.08	0.22	0.15	0.25	0.20	0.28	0.27
		CPD # ODL-K-12-01402-00001		CPD # ODL-K-12-01403-00001		CPD # ODL-K-12-01404-00001		CPD # ODL-K-10-01406-00001	
	IMPACT	0.19	0.08	0.24	0.16	0.27	0.21	0.31	0.28
		CPD # ODL-K-12-01094-00001		CPD # ODL-K-12-01095-00001		CPD # ODL-K-12-01096-00001		CPD # ODL-K-10-01098-00001	
EXTERNAL GRILLES	1/2" CLEAR	0.21	0.09	0.27	0.17	0.30	0.23	0.35	0.31
		CPD # ODL-K-12-01374-00001		CPD # ODL-K-12-01375-00001		CPD # ODL-K-12-01376-00001		CPD # ODL-K-10-01378-00001	
	1/2" LOW-E CS73	0.19	0.08	0.24	0.15	0.27	0.20	0.3	0.27
		CPD # ODL-K-12-01382-00001		CPD # ODL-K-12-01383-00001		CPD # ODL-K-12-01384-00001		CPD # ODL-K-10-01386-00001	
	1" LOW-E CS73	0.19	0.08	0.22	0.15	0.25	0.20	0.28	0.27
		CPD # ODL-K-12-01406-00001		CPD # ODL-K-12-01407-00001		CPD # ODL-K-12-01408-00001		CPD # ODL-K-10-01410-00001	
1" PRIVACY + TEXTURED LOW-E	0.19	0.08	0.22	0.15	0.25	0.20	0.28	0.27	
	CPD # ODL-K-12-01406-00001		CPD # ODL-K-12-01407-00001		CPD # ODL-K-12-01408-00001		CPD # ODL-K-10-01410-00001		
CLEAR	1" CLEAR	0.20	0.10	0.25	0.19	0.29	0.25	0.33	0.33
		CPD # ODL-K-12-01386-00001		CPD # ODL-K-12-01387-00001		CPD # ODL-K-12-01388-00001		CPD # ODL-K-10-01390-00001	
	1" LOW-E CS73	0.19	0.09	0.22	0.16	0.25	0.21	0.28	0.28
		CPD # ODL-K-12-01398-00001		CPD # ODL-K-12-01399-00001		CPD # ODL-K-12-01400-00001		CPD # ODL-K-10-01402-00001	
	1" LOW-E 366	0.18	0.04	0.21	0.07	0.23	0.09	0.26	0.12
		CPD # ODL-K-12-01422-00001		CPD # ODL-K-12-01423-00001		CPD # ODL-K-12-01424-00001		CPD # ODL-K-10-01426-00001	
	1" CLEAR IMPACT	0.19	0.09	0.24	0.17	0.27	0.22	0.31	0.3
		CPD # ODL-K-12-01098-00001		CPD # ODL-K-12-01099-00001		CPD # ODL-K-12-01100-00001		CPD # ODL-K-10-01102-00001	
1" LOW-E 180 IMPACT	0.19	0.08	0.24	0.14	0.27	0.19	0.31	0.25	
	CPD # ODL-K-12-01106-00001		CPD # ODL-K-12-01107-00001		CPD # ODL-K-12-01108-00001		CPD # ODL-K-10-01110-00001		
1" LOW-E 180 STC	0.20	0.08	0.25	0.14	0.28	0.19	0.33	0.25	
	CPD # ODL-K-12-01506-00001		CPD # ODL-K-12-01507-00001		CPD # ODL-K-12-01508-00001		CPD # ODL-K-10-01510-00001		

KEY

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN ALL 50 STATES

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN SOUTH-CENTRAL AND SOUTHERN REGIONS

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN NORTHERN AND NORTH-CENTRAL REGIONS

DOES NOT MEET ENERGY STAR 7.0 U-FACTOR AND SHGC QUALIFICATIONS



SHAKER FIBERGLASS DOORS

ENERGY PERFORMANCE RATINGS

		U-FACTOR (BTU/HR-FT ² -°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)							
PRODUCT DESCRIPTION		1/4 Light		1/2 Light		3/4 Light		Full Light	
		Glazing <411 in ²		Glazing 411 in ² to 900 in ²		Glazing 901 in ² to 1100 in ²		Glazing > 1100 in ²	
		U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC
CLASSIC									
VENTS	PRIVACY + TEXTURED LOW-E								
	3/4" CLEAR			0.27	0.18				
	3/4" LOW-E CS73			0.23	0.23				
BLINDS + GLASS									
STANDARD	CLEAR	0.21	0.08	0.26	0.15	0.29	0.21	0.34	0.27
		CPD # ODL-K-12-00954-00001		CPD # ODL-K-12-00955-00001		CPD # ODL-K-12-00956-00001		CPD # ODL-K-10-00958-00001	
	LOW-E 270	0.19	0.04	0.22	0.08	0.25	0.10	0.28	0.14
		CPD # ODL-K-12-00958-00001		CPD # ODL-K-12-00959-00001		CPD # ODL-K-12-00960-00001		CPD # ODL-K-10-00962-00001	
	LOW-E 366	0.19	0.03	0.22	0.06	0.24	0.08	0.27	0.10
		CPD # ODL-K-12-00962-00001		CPD # ODL-K-12-00963-00001		CPD # ODL-K-12-00964-00001		CPD # ODL-K-10-00966-00001	
1-1/4" IMPACT	CLEAR	0.18	0.07	0.24	0.13	0.27	0.18	0.32	0.24
		CPD # ODL-K-12-01050-00001		CPD # ODL-K-12-01051-00001		CPD # ODL-K-12-01052-00001		CPD # ODL-K-10-01054-00001	
	LOW-E 180	0.20	0.06	0.24	0.11	0.27	0.15	0.32	0.2
		CPD # ODL-K-12-01054-00001		CPD # ODL-K-12-01055-00001		CPD # ODL-K-12-01056-00001		CPD # ODL-K-10-01058-00001	
	LOW-E 366	0.19	0.03	0.24	0.06	0.27	0.08	0.31	0.1
		CPD # ODL-K-12-01058-00001		CPD # ODL-K-12-01059-00001		CPD # ODL-K-12-01060-00001		CPD # ODL-K-10-01062-00001	
TRIPLE-GLAZED ENCLOSED BLINDS									
LOW-E				0.18	0.12			0.21	0.21
		CPD # ODL-K-12-00992-00001				CPD # ODL-K-10-00994-00001			
PANELED DOORS (OPAQUE)									
SHAKER DOORS	STANDARD	0.14 / 0.01 / CPD # ODL-K-12-00001-00001							
	PLUS	0.16 / 0.01 / CPD # ODL-K-12-02046-00001							
	PREMIUM BUILD	0.18 / 0.01 / CPD # ODL-K-12-04091-00001							

KEY

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN ALL 50 STATES

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN SOUTH-CENTRAL AND SOUTHERN REGIONS

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN NORTHERN AND NORTH-CENTRAL REGIONS

DOES NOT MEET ENERGY STAR 7.0 U-FACTOR AND SHGC QUALIFICATIONS



All values are in a Standard Build Door and assume a standard frame unless otherwise noted. Thermal performance values are calculated in accordance to NFRC 100 & 200. This information is for reference only. Please reference NFRC Certified Product Directory for latest information or visit ODL.com.

SCAN HERE TO LEARN MORE





FLUSHED GLAZED FIBERGLASS DOORS ENERGY PERFORMANCE RATINGS

		U-FACTOR (BTU/HR-FT ² -°F) / SOLAR HEAT GAIN COEFFICIENT (SHGC)								
PRODUCT DESCRIPTION		1/4 Light		1/2 Light		3/4 Light		Full Light		
		Glazing <411 in ²		Glazing 411 in ² to 900 in ²		Glazing 901 in ² to 1100 in ²		Glazing > 1100 in ²		
		U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC	U-FACTOR	SHGC	
DECORATIVE GLASS										
STANDARD		0.22	0.09	0.25	0.16	0.28	0.21	0.32	0.28	
		CPD # ODL-K-11-00002-00001		CPD # ODL-K-11-00003-00001		CPD # ODL-K-11-00004-00001		CPD # ODL-K-11-00001-00001		
IMPACT		0.23	0.08	0.27	0.14	0.29	0.19	0.33	0.25	
		CPD # ODL-K-11-00005-00001		CPD # ODL-K-11-00006-00001		CPD # ODL-K-11-00007-00001		CPD # ODL-K-11-00008-00001		
PRIVACY + TEXTURED GLASS										
1" LOW-E 366		0.21	0.04	0.24	0.07	0.26	0.09	0.29	0.12	
		CPD # ODL-K-11-00025-00001		CPD # ODL-K-11-00026-00001		CPD # ODL-K-11-00027-00001		CPD # ODL-K-11-00028-00001		
1" LOW-E IMPACT		0.23	0.04	0.28	0.07	0.31	0.09	0.35	0.12	
		CPD # ODL-K-11-00061-00001		CPD # ODL-K-11-00062-00001		CPD # ODL-K-11-00063-00001		CPD # ODL-K-11-00064-00001		
CLASSIC										
GBGs	1" LOW-E 366	0.21	0.04	0.24	0.07	0.26	0.09	0.29	0.12	
		CPD # ODL-K-11-00029-00001		CPD # ODL-K-11-00030-00001		CPD # ODL-K-11-00031-00001		CPD # ODL-K-11-00032-00001		
	1" LOW-E IMPACT	0.23	0.04	0.28	0.07	0.31	0.09	0.35	0.12	
		CPD # ODL-K-11-00057-00001		CPD # ODL-K-11-00058-00001		CPD # ODL-K-11-00059-00001		CPD # ODL-K-11-00060-00001		
CLEAR	1" LOW-E 366	0.21	0.04	0.24	0.07	0.26	0.09	0.29	0.12	
		CPD # ODL-K-11-00025-00001		CPD # ODL-K-11-00026-00001		CPD # ODL-K-11-00027-00001		CPD # ODL-K-11-00028-00001		
	1" LOW-E IMPACT	0.23	0.04	0.28	0.07	0.31	0.09	0.35	0.12	
		CPD # ODL-K-11-00061-00001		CPD # ODL-K-11-00062-00001		CPD # ODL-K-11-00063-00001		CPD # ODL-K-11-00064-00001		
BLINDS + GLASS										
1" LOW-E 366				0.25	0.07	0.28	0.09	0.3	0.11	
				CPD # ODL-K-11-00076-00001		CPD # ODL-K-11-00077-00001		CPD # ODL-K-11-00078-00001		



CONTEMPORARY FIBERGLASS DOORS ENERGY PERFORMANCE RATINGS

PANELED DOORS (OPAQUE)		
FLUSH DOORS	PREMIUM BUILD	0.16 / 0.01 / CPD # ODL-K-10-04070-00001

KEY

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN ALL 50 STATES

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN SOUTH-CENTRAL AND SOUTHERN REGIONS

MEETS ENERGY STAR 7.0 U-FACTOR AND SHGC IN NORTHERN AND NORTH-CENTRAL REGIONS

DOES NOT MEET ENERGY STAR 7.0 U-FACTOR AND SHGC QUALIFICATIONS



All values are in a Standard Build Door and assume a standard frame unless otherwise noted. Thermal performance values are calculated in accordance to NFRC 100 & 200. This information is for reference only. Please reference NFRC Certified Product Directory for latest information or visit ODL.com.

SCAN HERE TO LEARN MORE



225208 (09/25)