


6'8" ESTATE FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- K _____
- M _____

SURFACE

- SATIN SMOOTH – WHITE **HS**
- RIFT CUT – TAN **HR**
- MAHOGANY – TAN **HM**

PANEL DESIGN:

- FLUSH **AA**
- 6 PANEL **BB**
- 6 PANEL NARROW **BN**
- 4 PANEL **LL**
- 2 PANEL SQUARE **CH**
- 2 PANEL CAMBER **CC**
- 2 PANEL CAMBER PLANK **KS**
- 2 PANEL 3/4 TOP **TT**
- 3 PANEL **QS**

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- 4" PANIC BLOCK/HINGE STILE
- 20 MIN. FIRE RATED (US)
- LATCH MORTISE (RADIUS)
- CLOSER BLOCK
- NO HINGE PREP.
- OTHER:
- 4" LOCK STILE
- PEEP SITE 1/2" 9/16"

NOTES: Doors can be supplied: no bore, single bore or double bore only.

8'0" ESTATE FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- J _____
- K _____
- M _____

SURFACE

- SATIN SMOOTH - WHITE **HS**
- RIFT CUT - TAN **HR**
- MAHOGANY - TAN **HM**

PANEL DESIGN:

- FLUSH **AA**
- 6 PANEL **BB**
- 2 PANEL SQUARE **CS**
- 2 PANEL 3/4 TOP **TT**

CUTOUT SIZE: _____ HEAD DIMENSION: _____

NOTE: 4" lock stile is standard on 8'0" Estate doors.

EXTRA OPTIONS:


- CLOSER BLOCK
- 4" PANIC BLOCK/HINGE STILE
- PEEP SITE
- 1/2"
- 9/16"
- NO HINGE PREP.
- LATCH MORTISE (RADIUS)
- OTHER:

NOTES: Doors can be supplied: no bore, single bore or double bore only.

6'8" SHAKER – SOLID FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- K _____
- M _____

SURFACE

SATIN SMOOTH – WHITE **HS**

PANEL DESIGN:

- 1 PANEL SHAKER **AS**
- 3 PANEL CRAFTSMAN **FS**

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- 4" PANIC BLOCK/HINGE STILE
- NO HINGE PREP.
- OTHER:
- CLOSER BLOCK
- PEEP SITE 1/2" 9/16"
- 4" LOCK STILE
- LATCH MORTISE (RADIUS)

NOTES: Doors can be supplied: no bore, single bore or double bore only.

6'8" SHAKER – FLUSH GLAZED FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- K _____

SURFACE

- SATIN SMOOTH – WHITE **HS**
- MAHOGANY – TAN **HM**

PANEL DESIGN:

- 1 LIGHT SHAKER **DA1** (FLUSH GLAZE)
- 1 LIGHT SHAKER **DA2** (FLUSH GLAZE)
- 1/2 LIGHT SHAKER **DC2** (FLUSH GLAZE)
- 3/4 LIGHT SHAKER **DT2** (FLUSH GLAZE)
- CRAFTSMAN PLANK **FP5**
- 2 PANEL CRAFTSMAN **F25**

NOTE: 4" lock and hinge stiles are standard on flush glazed doors.

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- CLOSER BLOCK
- LATCH MORTISE (RADIUS)
- OTHER: _____
- NO HINGE PREP.

NOTES: Doors can be supplied: no bore, single bore or double bore only.

8'0" SHAKER FLUSH GLAZED FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- J _____
- K _____

SURFACE

SATIN SMOOTH – WHITE **HS**

PANEL DESIGN:

1 LIGHT SHAKER **DA2**
(FLUSH GLAZE)

NOTE: 4" lock and hinge stiles are standard on flush glazed doors.

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- CLOSER BLOCK LATCH MORTISE (radius) OTHER: _____
- NO HINGE PREP

NOTES: Doors can be supplied: no bore, single bore or double bore only.

6'8" CONTEMPORARY FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- K _____
- M _____

SURFACE

- SATIN SMOOTH – WHITE **HS**
- MAHOGANY – TAN **HM**

PANEL DESIGN:

- CONTEMPORARY 5 **05**
- CONTEMPORARY 12 **12**
- CONTEMPORARY 14 **14**
- CONTEMPORARY 16 **16**
- CONTEMPORARY 24 **24**
- CONTEMPORARY 29 **29**
- CONTEMPORARY 30 **30**
- CONTEMPORARY 60 **60**

NOTE: 4" lock and hinge stiles are standard on Contemporary doors.

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- CLOSER BLOCK
- NO HINGE PREP.
- LATCH MORTISE (radius)
- PEEP SITE 1/2" 9/16"
- CUSTOM GROOVE PATTERN (REQUIRES DRAWING)
- OTHER:

NOTES:

8'0" CONTEMPORARY FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- J _____
- K _____
- M _____

SURFACE

- SATIN SMOOTH – WHITE **HS**
- MAHOGANY – TAN **HM**

PANEL DESIGN:

- CONTEMPORARY 5 **05**
- CONTEMPORARY 12 **12**
- CONTEMPORARY 14 **14**
- CONTEMPORARY 16 **16**
- CONTEMPORARY 24 **24**
- CONTEMPORARY 29 **29**
- CONTEMPORARY 30 **30**
- CONTEMPORARY 60 **60**

NOTE: 4" lock and hinge stiles are standard on Contemporary doors.

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- CLOSER BLOCK
- NO HINGE PREP.
- LATCH MORTISE (RADIUS)
- PEEP SITE 1/2" 9/16"
- CUSTOM GROOVE PATTERN (REQUIRES DRAWING)
- OTHER:

NOTES:

6'8" PRO OAK FIBERGLASS DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- K _____
- L _____
- M _____

SURFACE

- WHITE OAK **PW**
- TAN OAK **PT**

PANEL DESIGN:

- FLUSH **AA**
- 6 PANEL **BB**
- 6 PANEL NARROW **BN**
- 4 PANEL **LL**
- 2 PANEL CAMBER PLANK **KS**

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- 4" PANIC BLOCK/HINGE STILE
- CLOSER BLOCK
- 4" LOCK STILE
- LATCH MORTISE (RADIUS)
- NO HINGE PREP.
- PEEP SITE 1/2" 9/16"
- OTHER: _____

NOTES: Doors can be supplied: no bore, single bore or double bore only.

6'8" STEEL PRO®, STEEL MARK & STEEL MARK PLUS WOOD-EDGE STEEL DOOR & SIDELIGHT SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



SERIES:

- STEEL PRO (NO CUSTOM ORDERS)
- STEEL MARK
- STEEL MARK PLUS

PANEL DESIGN:

- FLUSH **AA**
- 6 PANEL **BB**
- 4 PANEL **LL**
- 2 PANEL SQUARE **CH**
- 2 PANEL CAMBER **CC**
- 2 PANEL CAMBER PLANK **KS**
- 2 PANEL 3/4 TOP **TT**
- 3 PANEL SQUARE **QS**
- EUROLINE 6 **E6**
- 3 PANEL URBAN **QM**
- 4 PANEL URBAN **LM**
- 3 PANEL CRAFTSMAN URBAN **FM**
- 2 PANEL REVERSE SIDELIGHT **SR**
- FLUSH SIDELIGHT **SA**
- 3/4 URBAN SIDELIGHT **SJ**
- CRAFTSMAN SIDELIGHT **SK**

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- PANIC BLOCK
- CLOSER BLOCK
- 24" LOCK BLOCK
- 20 MIN. FIRE RATED
- NO HINGE PREP.
- LATCH MORTISE (radius)
- PEEP SITE 1/2" 9/16"
- 1/2 BORE (handing required)
- RIGHT HAND BORE LEFT HAND BORE
- OTHER:

NOTES:

7'0" STEEL MARK® & STEEL MARK PLUS WOOD-EDGE STEEL DOOR & SIDELIGHT SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



SERIES:

- STEEL MARK
- STEEL MARK PLUS

PANEL DESIGN:

- FLUSH **AA**
- 6 PANEL **BB**
- 2 PANEL 3/4 TOP **TT**
- 3 PANEL SQUARE **QS**
- FLUSH SIDELIGHT **SA**

A _____
 B _____
 C _____
 D _____
 E _____
 F _____
 G _____
 H _____
 I _____
 K _____
 L _____
 M _____

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:


- PANIC BLOCK
- CLOSER BLOCK
- 24" LOCK BLOCK
- NO HINGE PREP.
- LATCH MORTISE (radius)
- PEEP SITE 1/2" 9/16"
- 1/2 BORE (handing required)
- RIGHT HAND BORE LEFT HAND BORE
- OTHER:

NOTES:

8'0" OR 4 HINGE STEEL MARK & STEEL MARK PLUS WOOD-EDGE STEEL DOOR & SIDELIGHT SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



- A _____
- B _____
- C _____
- D _____
- E _____
- F _____
- G _____
- H _____
- I _____
- J _____
- K _____
- L _____
- M _____

SERIES:

- STEEL MARK
- STEEL MARK PLUS

PANEL DESIGN:

- 8'0" FLUSH **AA**
- 8'0" 6 PANEL **BB**
- 8'0" 2 PANEL SQUARE **CH**
- 8'0" 2 PANEL w/ 23" X 65" CUTOUT **TT**
- 8'0" EUROLINE 8 **ES**
- 8'0" FLUSH SIDELIGHT **SA**
- OTHER

CUTOUT SIZE: _____ HEAD DIMENSION: _____

NOTE: 24" lock block is standard on all 8'0" doors.

EXTRA OPTIONS:


- PANIC BLOCK
- CLOSER BLOCK
- NO HINGE PREP.
- LATCH MORTISE (radius)
- PEEP SITE 1/2" 9/16"
- 1/2 BORE (handing required)
- RIGHT HAND BORE
- LEFT HAND BORE
- OTHER:

NOTES:

6'8" STEEL MARK® & STEEL MARK PLUS STEEL-EDGE STEEL DOOR SPECIFICATION SHEET

CUSTOMER NAME: _____ P.O. #: _____

DATE: _____ QTY: _____ CUSTOM ORDER STANDARD STOCK



A _____
B 79"
C 45 7/8"
D 5 1/2"
E * _____
F * _____
G 6 1/2"
H 37 1/2"
I 68 1/2"
K 4"
M _____

SERIES:

- STEEL MARK
- STEEL MARK PLUS

PANEL DESIGN:

- FLUSH **AA**
- 6 PANEL **BB**
- 4 PANEL **LL**
- 2 PANEL SQUARE **CH**
- 2 PANEL CAMBER **CC**
- 2 PANEL CAMBER PLANK **KS**
- 2 PANEL 3/4 TOP **TT**
- 3 PANEL SQUARE **QS**
- EUROLINE 6 **EG**
- 3 PANEL URBAN **QM**
- 4 PANEL URBAN **LM**
- 3 PANEL CRAFTSMAN URBAN **FM**

CUTOUT SIZE: _____ HEAD DIMENSION: _____

EXTRA OPTIONS:

- PANIC BLOCK
- 24" LOCK BLOCK
- PEEP SITE 1/2" 9/16"
- CLOSER BLOCK
- 20 MIN. FIRE RATED (US)
- OTHER: _____

NOTES: All doors supplied – edge prepped for latch and deadbolt.
 * If measurement left blank – doors will be supplied without bore.