





A MODERN ALTERNATIVE TO TRADITIONAL BLINDS.

Blink Blinds + Glass is a blinds-between-glass IG panel for doors and windows.

MEET BLINK

Building upon our 70-year history of developing IG panels for doors, ODL continues to innovate in the blinds-between-glass category, where we have been the industry leader for over 20 years. Our industry relationships led us to discover that manufacturers, builders and homeowners wanted a simple solution that addressed and solved concerns about the safety, cleaning, and lack of ease associated with traditional blinds. That's why ODL created a modern alternative to traditional blinds.

Our most recent product innovation, Blink Blinds + Glass, allows for custom sizes and colors in as few as eight days, with the quality, reliability, and warranty you've come to expect from ODL. Homeowners and window manufacturers can rely on Blink Blinds + Glass for designs and options to fit every home.

Our goal is to provide quality products that improve your everyday life. In addition to a 10-year full replacement, Blink offers the color options and configurations needed to compliment any architectural style. With Blink Blinds + Glass the possibilities are endless!









- Raise, lower, and tilt blinds
- Symmetric privacy channels
- Streamlined Single Operator Design Top Center
- 1/8" Tempered or Annealed glass
- Low-E options Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366
- Glass coating: NEAT 270, 366, 189/270, 189/366
- 10-year full warranty

AVAILABLE COLORS:

OPFRATOR:



PROGRAM DETAILS:

- Dimensions -
 - 15-54" wide
 - 12-41" tall
 - 7/8" thick
- Tempered or Annealed Glass up to 9 sq ft (single operator)
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Annealed Shipping Lead Times:

US: 7 business days + transit | Canada: 9 business days + transit

Tempered Shipping Lead Times:

US: 12 business days + transit | Canada: 14 business days + transit


BLINK BLINDS SIZE RANGE[‡]

RLT-TOP

■ ANNEALED AND TEMPERED

Single Operator

Max 9 sq ft (no more than 36" in one direction) Operator Location Top Center



WIDTH

‡ 1/16" increments

RLT-TOP

LADDER CORDS PER GLASS SIZE


Single Operator

Max 9 sq ft (no more than 36" in one direction) Operator Location Top Center

2 Ladder Cords

4 Ladder Cords

3 Ladder Cords



WIDTH

‡ 1/16" increments









- Blinds with tilt operation
- Symmetric privacy channels
- Streamlined operator design located in the top right corner
- 1/8" Tempered or Annealed glass
- Low-E options: Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366
- Glass coating: NEAT 270, 366, 189/270, 189/366
- 10-year full warranty

AVAILABLE COLORS:

WHITE

SILVER

MOON



ESPRESS0





0.629" thickness

OPFRATOR:

PROGRAM DETAILS:

Dimensions -

SLATE

GRAY


- 8 54" wide
- 12 68" tall
- 7/8" thick
- Tempered or Annealed glass up to 9 sq ft
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Annealed Shipping Lead Times:


US: 7 business days + transit | Canada: 9 business days + transit

Tempered Shipping Lead Times:

US: 12 business days + transit | Canada: 14 business days + transit

BLINK BLINDS SIZE RANGE[‡]









- Ideal for both doors and windows (casement, fixed sliding, and awning).
- High or low operator position above 30" height
- Left- or right-hand operator
- Low-E options: Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366
- Glass coating: NEAT 270, 366, 189/270, 189/340, 189/366
- 10-year full warranty

AVAILABLE COLORS:



ESPRESSO



OPERATOR:

SLATE

GRAY


SILVER MOON


0.539" thickness SAND

PROGRAM DETAILS:

- Dimensions -
 - 8.625-80" wide⁺
 - 13-80" tall
 - 1" thick
- Tempered glass up to 17 sq ft (above 12 sq ft dual operator)
- Annealed glass up to 15 sq ft (single operator)
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Annealed Shipping Lead Times:
 - US: 7 business days + transit | Canada: 9 business days + transit
- Tempered Shipping Lead Times:
 - US: 12 business days + transit | Canada: 14 business days + transit

BLINK BLINDS SIZE RANGE[‡]





⁺Widths below 10" will have an asymmetrical design









- Raise, lower, and tilt blinds
- Streamlined dual left-hand/right-hand operator design
- Low-E options: Single: 270, 272, 340, 366

Dual: 189/270, 189/272, 189/340, 189/366

10-year full warranty

AVAILABLE COLORS:



WHITE

OPERATORS:

Classic



0.667" thickness

Low-Profile



0.438" thickness




PROGRAM DETAILS:

- Dimensions: 14-36" wide 42-80" tall 1" thick
- 17 square feet maximum
- Tempered glass only up to 17 sq ft
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Tempered Shipping Lead Times:

US: 12 business days + transit | Canada: 14 business days + transit

BLINK "CLASSIC" SIZE RANGE*



	blink	blink	blink	blink
IG PANEL	BLINDS + GLASS	BLINDS + GLASS	BLINDS + GLASS	BLINDS + GLASS
PROGRAM DETAILS:	7/8" RLT-Top	7/8" Tilt	1" Custom	1" Classic
IG WIDTH RANGES IG HEIGHT RANGES IG THICKNESS	15 - 54" wide 12-41″ tall 7/8″ thick	8 - 54" wide 12 - 68" tall 7/8" thick	8.625" - 80" wide 13 - 80" tall 1" thick	14" - 36" wide 42 - 80" tall 1" thick
MAXIMUM SQUARE FEET	9	9	17	17
GLASS TYPE	Tempered and Annealed (single operator)	Tempered and Annealed (single operator)	Tempered glass - up to 17 sq ft (above 12 sq ft dual operator) Annealed glass - up to 15 sq ft	Tempered glass only (dual operator)
			(single operator)	
LOW-E OPTIONS	Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366	Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366	Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366	Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366
GLASS COATING	NEAT: 270, 366, 189/270, 189/366	NEAT: 270, 366, 189/270, 189/366	NEAT: 270, 366, 189/270, 189/366	-
OPERATOR OPTIONS	Operator is located in the top center of IG only. Streatmlined design 0.512" thickness	Operator is located in the upper right corner of IG only. Streatmlined design 0.629" thickness	High or low operator position* Left- or right-hand operator Streatmlined design 0.539" thickness	Classic design: 0.667" thickness Low Profile design: 0.438" thickness
BLIND COLOR	White, Tan, Sand, Espresso, Silver Moon, Slate Gray	White, Tan, Sand, Espresso, Silver Moon, Slate Gray	White, Tan, Sand, Espresso, Silver Moon, Slate Gray	White
MINIMUM QUANTITY	Low-E:1 CL/CL:1	Low-E:1 CL/CL:1	Low-E:1 CL/CL:1	Low-E:1 CL/CL:1
WORKING DAYS TO DELIVER	Annealed: 7 business days + transit [◆]	Annealed: 7 business days + transit [◆]	Annealed: 7 business days + transit [◆]	Tempered: 12 business days + transit [*]
	Tempered: 12 business days + transit [◆]	Tempered: 12 business days + transit [◆]	Tempered: 12 business days + transit [◆]	
10-YEAR FULL WARRANTY	✓	✓	~	✓
* Above 30" in height				

^{*} Above 30 In neight

[◆] US Only. Canada: Annealed – 9 business days + transit Tempered – 14 business days + transit





 $[\]mbox{\ensuremath{^{+}}}$ Widths below 10" will have an asymmetrical design.

See size chart for limitations